

|   |      |   |   |                     |
|---|------|---|---|---------------------|
| - | 227  | ((access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5) near4 local\$4) and (load\$5 or download\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or device or local\$5 or storage or CD or drive) near4 local\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/02<br>18:46 |
| - | 157  | ((access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5) near4 local\$4) and (load\$5 or download\$5) near3 (application or porgram or software or servlet or execut\$6) near5 (workstation or client or device or local\$5 or storage or CD or drive or flop\$3) near3 local\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/02<br>02:05 |
| - | 19   | (709/201-203.ccls. and (execut\$6 or map\$5 or resolv\$5 or nam\$3) near7 (client or local\$5 or servic\$5 or process\$3) with (local\$5 or cach\$5 or request\$5 or access\$5 or application or logic)) and (((access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5) near4 local\$4) and (load\$5 or download\$5) near3 (application or porgram or software or servlet or execut\$6) near5 (workstation or client or device or local\$5 or storage or CD or drive or flop\$3) near3 local\$3))                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/02<br>02:15 |
| - | 3    | ((709/201-203.ccls. and (execut\$6 or map\$5 or resolv\$5 or nam\$3) near7 (client or local\$5 or servic\$5 or process\$3) with (local\$5 or cach\$5 or request\$5 or access\$5 or application or logic)) and (((access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5) near4 local\$4) and (load\$5 or download\$5) near3 (application or porgram or software or servlet or execut\$6) near5 (workstation or client or device or local\$5 or storage or CD or drive or flop\$3) near3 local\$3)) and intercept\$6 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/02<br>02:15 |
| - | 9130 | (709/201-203.ccls. or 709/217-219.ccls. )   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/02<br>12:51 |

|   |     |   |  |                             |
|---|-----|---|--|-----------------------------|
|   | 79  | <p>((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) and intercept\$5 near5 request\$4</p>  | <p>USPAT;<br/>US-PGPUB;<br/>EPO; JPO;<br/>DERWENT;<br/>IBM_TDB</p> | <p>2003/12/31<br/>22:19</p> |
| - | 178 | <p>((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) and intercept\$5</p>   | <p>USPAT;<br/>US-PGPUB;<br/>EPO; JPO;<br/>DERWENT;<br/>IBM_TDB</p> | <p>2004/01/01<br/>18:43</p> |
| - | 154 | <p>((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) and intercept\$5 with (workstation or client or user or device or computer or cach\$5 or local\$5 or server or prox\$5 or intermediat\$3 or origin\$3 or internal or web or program or application or handl\$3 or software or portion)</p> | <p>USPAT;<br/>US-PGPUB;<br/>EPO; JPO;<br/>DERWENT;<br/>IBM_TDB</p> | <p>2003/12/31<br/>22:23</p> |

|  |     |   |   |                     |
|--|-----|---|---|---------------------|
|  | 114 | <p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) and intercept\$5 near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or server or prox\$5 or intermediat\$3 or origin\$3 or internal or web or program or application or handl\$3 or software or portion)</p>   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/31<br>22:23 |
|  | 151 | <p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) and intercept\$5 with (workstation or client or user or device or computer or cach\$5 or local\$5 or server or prox\$5 or intermediat\$3 or origin\$3 or internal or web or program or application or handl\$3 or software or portion)) and (rout\$3 or redirect\$5 or point or map\$5 or resolv\$ or pass\$5 or prox\$4 or transform\$3 or modif\$5) near5 ( request\$5 or http or url or access\$5 or send\$3 or transmi\$6 or available or locat\$3 or unavailable or "not present" or external or internal or workstation or local\$5 or cach\$5 or client or user or computer or device)</p> | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/31<br>22:27 |

|     |  |   |                     |
|-----|--|---|---------------------|
| 151 | ((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) and intercept\$5 with (workstation or client or user or device or computer or cach\$5 or local\$5 or server or prox\$5 or intermediat\$3 or origin\$3 or internal or web or program or application or handl\$3 or software or portion)) and (rout\$3 or redirect\$5 or point or map\$5 or resolv\$ or pass\$5 or prox\$4 or transform\$3 or modif\$5) near5 ( request\$5 or http or url or access\$5 or send\$3 or transmi\$6 or available or locat\$3 or unavailable or "not present" or external or internal or workstation or local\$5 or cach\$5 or client or user or computer or device)) and (execut\$5 or run\$5 or install\$5 or servic\$5 or process\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near3 (workstation or client or user or device or computer or cach\$5 or local\$5) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/31<br>22:37 |
|-----|--|---|---------------------|

|   |      |  |   |                     |
|---|------|--|---|---------------------|
| - | 7907 | ((download\$ or transfer\$5 or obtain\$5 or<br>receiv\$5 or retriev\$5) near3 (application<br>or porgram or software or code or servlet<br>or execut\$6 or portion) near5<br>(workstation or client or user or device<br>or computer or cach\$5 or local\$5)) same<br>((download\$ or transfer\$5 or obtain\$5 or<br>receiv\$5 or retriev\$5) near3 (application<br>or porgram or software or code or servlet<br>or execut\$6 or portion) near5 (server or<br>origin\$5 or remot\$5 or prox\$5))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/31<br>22:15 |
| - | 4507 | ((download\$ or transfer\$5 or obtain\$5 or<br>receiv\$5 or retriev\$5) near3 (application<br>or porgram or software or code or servlet<br>or execut\$6 or portion) near5<br>(workstation or client or user or device<br>or computer or cach\$5 or local\$5)) same<br>((download\$ or transfer\$5 or obtain\$5 or<br>receiv\$5 or retriev\$5) near3 (application<br>or porgram or software or code or servlet<br>or execut\$6 or portion) near5 (server or<br>origin\$5 or remot\$5 or prox\$5))) and<br>(execut\$5 or run\$5 or install\$5 or<br>servic\$5) near3 (application or porgram<br>or software or code or servlet or<br>execut\$6 or portion) near5 (workstation<br>or client or user or device or computer<br>or cach\$5 or local\$5)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/02<br>12:52 |
| - | 1543 | ((download\$ or transfer\$5 or obtain\$5 or<br>receiv\$5 or retriev\$5) near3 (application<br>or porgram or software or code or servlet<br>or execut\$6 or portion) near5<br>(workstation or client or user or device<br>or computer or cach\$5 or local\$5)) same<br>((download\$ or transfer\$5 or obtain\$5 or<br>receiv\$5 or retriev\$5) near3 (application<br>or porgram or software or code or servlet<br>or execut\$6 or portion) near5 (server or<br>origin\$5 or remot\$5 or prox\$5))) same<br>(execut\$5 or run\$5 or install\$5 or<br>servic\$5) near3 (application or porgram<br>or software or code or servlet or<br>execut\$6 or portion) near5 (workstation<br>or client or user or device or computer<br>or cach\$5 or local\$5)                                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/31<br>22:22 |
| - | 69   | ((download\$ or transfer\$5 or obtain\$5 or<br>receiv\$5 or retriev\$5) near3<br>(application or porgram or software or<br>code or servlet or execut\$6 or portion)<br>near5 (workstation or client or user or<br>device or computer or cach\$5 or local\$5))<br>same ((download\$ or transfer\$5 or<br>obtain\$5 or receiv\$5 or retriev\$5) near3<br>(application or porgram or software or<br>code or servlet or execut\$6 or portion)<br>near5 (server or origin\$5 or remot\$5 or<br>prox\$5))) same (execut\$5 or run\$5 or<br>install\$5 or servic\$5) near3 (application<br>or porgram or software or code or servlet<br>or execut\$6 or portion) near5<br>(workstation or client or user or device<br>or computer or cach\$5 or local\$5)) and<br>intercept\$5 near3 request\$4 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/12/31<br>22:18 |

|   |    |   |   |                     |
|---|----|---|---|---------------------|
| - | 28 | (((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) ) and (access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3) near3 (application or porgram or software or code or servlet or execut\$6 or portion or information or data or web or page or content) near5 (cach\$5 or copy or mobile or offline or off?line)) and (resolv\$5 or access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5) with ( web or page or content or http) with (url or local\$5 or memory or direct\$5 or path or client or user or computer or workstation or remot\$5 or web or http)) and (resolv\$5 or access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5) near5 ( web or page or content or http) near5 (url or local\$5 or memory or direct\$5 or path or client or user or computer or workstation or remot\$5 or web or http)) and (access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5 or client or cach\$5) near5 ( web or page or content or http or url or path or mount\$5 or cach\$5 or client) near5 (local\$5 or memory or drive or hard or direct\$5 or cach\$5) ) and (execut\$6 or map\$5 or resolv\$5 or nam\$3) near7 (client or local\$5) with (local\$5 or cach\$5 or request\$5 or access\$5 or application or logic) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/02<br>00:31 |
|---|----|---|---|---------------------|

|   |      |   |  |                             |
|---|------|---|--|-----------------------------|
| - | 31   | <p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) ) and (access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3) near3 (application or porgram or software or code or servlet or execut\$6 or portion or information or data or web or page or content) near5 (cach\$5 or copy or mobile or offline or off?line)) and (resolv\$5 or access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5) with ( web or page or content or http) with (url or local\$5 or memory or direct\$5 or path or client or user or computer or workstation or remot\$5 or web or http)) and (resolv\$5 or access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5) near5 ( web or page or content or http) near5 (url or local\$5 or memory or direct\$5 or path or client or user or computer or workstation or remot\$5 or web or http)) and (access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5 or client or cach\$5) near5 ( web or page or content or http or url or path or mount\$5 or cach\$5 or client) near5 (local\$5 or memory or drive or hard or direct\$5 or cach\$5) ) and (execut\$6 or map\$5 or resolv\$5 or nam\$3) near7 (client or local\$5 or servic\$5 or process\$3) with (local\$5 or cach\$5 or request\$5 or access\$5 or application or logic)</p> | <p>USPAT;<br/>US-PGPUB;<br/>EPO; JPO;<br/>DERWENT;<br/>IBM_TDB</p> | <p>2004/01/02<br/>01:02</p> |
| - | 2922 | <p>709/201-203.ccls. and (execut\$6 or map\$5 or resolv\$5 or nam\$3) near7 (client or local\$5 or servic\$5 or process\$3) with (local\$5 or cach\$5 or request\$5 or access\$5 or application or logic)</p>   | <p>USPAT;<br/>US-PGPUB;<br/>EPO; JPO;<br/>DERWENT;<br/>IBM TDB</p> | <p>2004/01/02<br/>12:50</p> |

|   |    |  |  |                             |
|---|----|--|--|-----------------------------|
| - | 14 | <p>709/201-203.ccls. and (((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) ) and (access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3) near3 (application or porgram or software or code or servlet or execut\$6 or portion or information or data or web or page or content) near5 (cach\$5 or copy or mobile or offline or off?line)) and (resolv\$5 or access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5) with ( web or page or content or http) with (url or local\$5 or memory or direct\$5 or path or client or user or computer or workstation or remot\$5 or web or http)) and (resolv\$5 or access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5) near5 ( web or page or content or http) near5 (url or local\$5 or memory or direct\$5 or path or client or user or computer or workstation or remot\$5 or web or http)) and (access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5 or client or cach\$5) near5 ( web or page or content or http or url or path or mount\$5 or cach\$5 or client) near5 (local\$5 or memory or drive or hard or direct\$5 or cach\$5) ) and (execut\$6 or map\$5 or resolv\$5 or nam\$3) near7 (client or local\$5 or servic\$5 or process\$3) with (local\$5 or cach\$5 or request\$5 or access\$5 or application or logic))</p> | <p>USPAT;<br/>US-PGPUB;<br/>EPO; JPO;<br/>DERWENT;<br/>IBM_TDB</p> | <p>2004/01/02<br/>01:12</p> |
|---|----|--|--|-----------------------------|



|   |   |   |   |                     |
|---|---|---|---|---------------------|
| - | 2 | <p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) same (download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6) near5 portion near5 (local\$3 or cach\$5 or server or origin\$5 or remot\$5) near5 stor\$5) and (request\$5 or access\$5 or download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5 or application or program or data) with transaction) and (send\$3 or transmi\$6 or submi\$5 ) with request\$3 near4 (application or title or portion or transaction or data or information)</p>  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/03<br>00:01 |
| - | 2 | <p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) same (download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6) near5 portion near5 (local\$3 or cach\$5 or server or origin\$5 or remot\$5) near5 stor\$5) and (request\$5 or access\$5 or download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5 or application or program or data) with transaction) and (send\$3 or transmi\$6 or submi\$5 or brows\$5 or receiv\$5 or download\$5) with (brows\$3 or access\$5 or receiv\$4 or rtereiv\$5 or request\$3) near5 (application or title or portion or transaction or data or information)</p> | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/03<br>00:03 |

|   |    |   |   |                     |
|---|----|---|---|---------------------|
| - | 52 | ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/03<br>22:16 |
| - | 42 | ((((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (component or internal or device or module or handl\$5 or program or application or code) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/03<br>22:11 |
| - | 45 | ((((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data)                           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/03<br>22:19 |

|   |    |   |   |                     |
|---|----|---|---|---------------------|
| - | 37 | (((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (component or internal or device or module or handl\$5 or program or application or code)) and (((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/03<br>22:10 |
| - | 19 | (((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/03<br>22:11 |
| - | 21 | (((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 with (cach\$5 or prox\$3)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/03<br>22:11 |

|   |    |   |   |                     |
|---|----|---|---|---------------------|
| - | 20 | ((((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (component or internal or device or module or handl\$5 or program or application or code)) and (((((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data))) and (((((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 with (cach\$5 or prox\$3)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/03<br>22:12 |
|---|----|---|---|---------------------|

|   |    |   |   |                     |
|---|----|---|---|---------------------|
| - | 22 | <p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (component or internal or device or module or handl\$5 or program or application or code)) not</p> <p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (component or internal or device or module or handl\$5 or program or application or code)) and (((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data))) and (((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 with (cach\$5 or prox\$3)))</p> | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/04<br>00:02 |
|---|----|---|---|---------------------|

|   |      |   |   |                     |
|---|------|---|---|---------------------|
| - | 8302 | ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/03<br>22:17 |
| - | 256  | ((((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/03<br>22:22 |
| - | 2    | (((((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 near5 internal | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/03<br>22:19 |

|   |    |   |  |                             |
|---|----|---|--|-----------------------------|
| - | 85 | <p>((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)</p>  | <p>USPAT;<br/>US-PGPUB;<br/>EPO; JPO;<br/>DERWENT;<br/>IBM_TDB</p> | <p>2004/01/03<br/>22:24</p> |
| - | 69 | <p>((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5)</p> | <p>USPAT;<br/>US-PGPUB;<br/>EPO; JPO;<br/>DERWENT;<br/>IBM_TDB</p> | <p>2004/01/03<br/>22:25</p> |

|   |    |   |   |                     |
|---|----|---|---|---------------------|
| - | 29 | <p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and cach\$5 near5 (application or program or code or servlet or execut\$5 or software)</p>   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/03<br>22:25 |
| - | 55 | <p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and execut\$5 near5 (application or program or code or servlet or execut\$5 or software)</p> | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/03<br>22:26 |



|                |    |   |   |                     |
|----------------|----|---|---|---------------------|
| -              | 4  | <p> (((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and cach\$5 near5 (application or program or code or servlet or execut\$5 or software)) not (((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and cach\$5 near5 (application or program or code or servlet or execut\$5 or software)) and (((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 </p> | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/03<br>22:38 |
| Search History | 1/ | <p> 04download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or </p>   |   |                     |

C:\APPS\EAST\Workspa

|   |   |                     |   |                     |
|---|---|---------------------|---|---------------------|
| - | 2 | ("20020138640").PN. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/01/04<br>00:02 |
|---|---|---------------------|---|---------------------|